2	
2	
S	
1	

STN	Sampling	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
1030	06-07-2022	RIVER BRAHMAPUTRA AT DIBRUGARH, ASSAM	PCBA	7.4	2.1	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1031	05-07-2022	RIVER BRAHMAPUTRA AT PANDU, ASSAM	PCBA	9.1	2.4	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1258	01-07-2022	RIVER JHANJI AT N.H. CROSSING JORHAT, ASSAM	PCBA	6.8	2.4	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1259	12-07-2022	RIVER DHANSIRI AT GOLAGHAT, ASSAM	PCBA	6.7	2.5	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1261	25-07-2022	RIVER SUBANSIRI AT GEREKAMUKH (BEFORE CONFL. WITH BRAH.), ASSAM	PCBA	7.5	2.5	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1262	01-07-2022	RIVER BRAHMAPUTRA AT NIMATIGHAT, ASSAM	PCBA	6	2.5	300	700	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1298	06-07-2022	RIVER DISANG AT GUNDAMGHAT, ASSAM	PCBA	6.5	2.3	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1299	11-07-2022	RIVER BRAHMAPUTRA AT JOGIJHOGA NEAR BRIDGE, ASSAM	PCBA	5.6	2.1	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1422	12-07-2022	RIVER BURHIDIHING AT MARGHERITA, ASSAM	PCBA	6.8	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1423	18-07-2022	RIVER BARAK AT PANCHAGRAM , ASSAM	РСВА	5.7	2.1	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1526	25-07-2022	RIVER BRAHMAPUTRA RIVER AT DHENUKHAPAHAR, ASSAM	PCBA	7.2	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



	۸
	,
a	/

STN	Sampling	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
1527	01-07-2022	RIVER BHOGDOI AT JORHAT , ASSAM	PCBA	5.6	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1528	05-07-2022	RIVER BHARALU AT GUWAHATI, ASSAM	PCBA	1.6	34.8	2300	4300	DO (Not Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1530	12-07-2022	RIVER DIGBOI AT LAKHIPATHER, RESERVE FOREST, DIGBOI	PCBA	4.2	3.4	720	1100	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1531	25-07-2022	RIVER MORA BHARALI AT TEZPUR, ASSAM	PCBA	4.8	3.1	730	1600	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
2058	25-07-2022	RIVER DISANG AT DILLIGHAT, DIBRUGARH DIST., ASSAM	PCBA	6.2	2.4	940	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2059	05-07-2022	RIVER KOLONG AT MARIGAON, ASSAM	PCBA	5.4	2.3	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2060	18-07-2022	MANAS RIVER AT NH-31 CROSSING, BARPETA, DISTRICT	PCBA	5.6	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2061	12-07-2022	RIVER KHARSANG B/C WITH BURIDIHING NEAR KHARSANG (ASSAM- ARUNANCHAL BORDER), ASSAM	PCBA	5.7	2.1	360	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2062	25-07-2022	RIVER BURHIDIHING NEAR DULIAJAN AT D/S, TINSUKIA,	PCBA	5.6	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2063	11-07-2022	RIVER JIA BHARALI NEAR BISWANATH CHARALI,	PCBA	7	2.1	730	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2064	15-07-2022	RIVER BRAHMAPUTRA AT CHANDRAPUR, GUWAHATI	PCBA	7	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2065	13-07-2022	RIVER PAGLDIA NEAR NALBARI TOWN, DIST. NALBARI, ASSAM	PCBA	9	2.3	610	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



STN	Sampling	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform	Remarks	
Code	Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		Final Remarks
2066	18-07-2022	RIVER BRAHMAPUTRA AT DHUBRI, ASSAM	PCBA	5.5	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2067	13-07-2022	RIVER BRAHMPUTRA AT SUALKUCHI, DIST. KAMRUP	PCBA	9.5	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2068	18-07-2022	RIVER KATHAKAL U/S AT MATIJURI, DIST. HAILAKANDI	PCBA	5	2	910	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2069	15-07-2022	RIVER BRAHMAPUTRA NEAR WATER INTAKE PT. AT KACHARIGHAT	PCBA	7.2	2.1	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2228	12-07-2022	RIVER GELABEEL AT DERGAON, ASSAM	PCBA	6.8	2.1	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2229	06-07-2022	RIVER KUNDIL AT KUNDLI/ SAPAKHOWA, SADIA, ASSAM	PCBA	7.8	2.3	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2230	25-07-2022	RIVER BURHIDIHING AT DULIAJAN (INTAKE POINT OF OIL INDIA LTD.), ASSAM	PCBA	6.5	2.2	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2231	04-07-2022	RIVER DIKHOW AT DIKHOW BRIDGE SIVASAGAR, ASSAM	PCBA	6.5	2.1	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2232	12-07-2022	RIVER KOHORA AT N.H. CROSSING, KOHORA, ASSAM (BRAHMAPUTRA)	PCBA	5.1	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2233	11-07-2022	RIVER BOGINADI NEAR BRIDGE NH-52, LAKHIMPUR, ASSAM	PCBA	6.2	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2234	11-07-2022	RIVER RANGA NADI D/S OF HYDEL PROJECT, ASSAM	PCBA	6.5	2.4	600	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2235	26-07-2022	RIVER PANCHNAI AT NH-52 CROSSING, ORANG, ASSAM	PCBA	5.3	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



STN		Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
2236	15-07-2022	RIVER KAPILI AT DHARMTUL BRIDGE, NH-31, NAGAON	PCBA	5.6	2.4	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2237	15-07-2022	RIVER KOLONG AT U/S OF ADP BRIDGE, NAGAON, ASSAM	PCBA	5.2	2	930	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2238	18-07-2022	RIVER BEKI AT NH-37 CROSSING AT BARPETA ROAD, ASSAM	PCBA	5.5	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2239	18-07-2022	RIVER SANKOSH DHUBRI, ASSAM	PCBA	5.3	2.2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2240	11-07-2022	RIVER BARAK AT D/S OF SILCHAR, ASSAM	PCBA	5.4	2.1	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2241	11-07-2022	RIVER SONAI AT SONAI, ASSAM	PCBA	5.5	2.6	360	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2242	18-07-2022	RIVER KUSHIARA AT KARIMGANJ, ASSAM	PCBA	5.8	1.9	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3759	11-07-2022	RIVER DIKRONG NEAR BRIDGE AT NH- 52, BANDARDEWA	PCBA	6.6	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3760	11-07-2022	RIVER BAROI NEAR BRIDGE AT NH-52, BISWANATH DISTRICT	PCBA	6.1	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3763	26-07-2022	RIVER GABHARU NEAR BRIDGE AT NH- 52, NEAR TUMIUKI, SONITPUR	PCBA	5	2.1	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3764	26-07-2022	RIVER DHANSIRI NEAR BRIDGE AT NH- 15, DHANSIRI, UDALGURI	PCBA	6	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3765	26-07-2022	RIVER BEGA MG ROAD, MANGALDOI	PCBA	5.2	3.3	610	1200	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory



STN		Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform	-	~
Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
3767	26-07-2022	RIVER NUWA NOI NEAR BRIDGE OVER BOINAOJA PARA, MANGALDOI	PCBA	5.6	2.4	300	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3768	01-07-2022	RIVER KAKODONGA AT NH-37 CROSSING	PCBA	4.8	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3769	01-07-2022	RIVER BHOGDOI INTAKE PT. OF URBAN WATER SUPPLY, JORHAT	PCBA	6	2.5	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3773	06-07-2022	RIVER TOWKAK AT SONARI	PCBA	6.9	2.1	1400	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3774	06-07-2022	RIVER SUFFRY AT MAIBELLA	PCBA	7.2	2.2	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3776	06-07-2022	RIVER DIKHOW AT NAGINI MORA (INTER-STATE BOUNDARIES, ASSAM- NAGALAND)	PCBA	6.8	2.2	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3777	04-07-2022	RIVER DORIKA NEAR MSW DUMPING SITE, SIVASAGAR	PCBA	4	2.3	1500	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3778	04-07-2022	RIVER DIKHOW AT DIKHOMUKH CONFLUENCE WITH BRAHAMPUTRA	PCBA	5.3	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3780	06-07-2022	RIVER SESSA NEAR SESSA TINIALI, NH BRIDGE, DIBRUGARH	PCBA	5	2.1	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3781	25-07-2022	RIVER BRAHMAPUTRA AT BOGIBEEL BRIDGE, BOGIBEEL, DIBRUGARH	PCBA	6.8	2.4	720	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3784	06-07-2022	RIVER TINGRAI NEAR TINSUKIA MSW DUMPING SITE, ITAKHOLA	PCBA	7.6	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3786	25-07-2022	RIVER GAI NADI AT SOMARAJAN, DHEMAJI	PCBA	7	2	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



0
2
~W
1

		Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		3
STN Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
3788	25-07-2022	RIVER JIADHAL KUMOTIYA RIVER NEAR JIADHAL BRIDGE, DHEMAJI	PCBA	7.2	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3791	12-07-2022	RIVER KALIANI NEAR KANAIGHAT BRIDGE, KANAIGHAT	PCBA	6.3	2.7	610	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3792	12-07-2022	RIVER DHANSIRI AT JAHAIGHAT	PCBA	7.6	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3796	11-07-2022	RIVER KUJIA (NEAR NEW BOGAGIGAON) NEAR WATER INTAKE POINT FOR NF RAILWAY	PCBA	5.5	2.7	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3797	18-07-2022	RIVER MANAS (SANTOSHPUR) NEAR LENGTISINGA	PCBA	5.4	2.4	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3799	05-07-2022	RIVER KILLING IN MORIGAON DISTRICT	PCBA	5.6	2.1	730	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3803	11-07-2022	RIVER MADHURA AT MADHURAGHAT, CACHAR	PCBA	5.5	2.4	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3807	18-07-2022	RIVER DIGARU AT NH CROSSING	PCBA	5.3	2.3	620	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3810	19-07-2022	RIVER KULSI AT CHAYGAON NEAR NH37 CROSSING	PCBA	5.7	2.4	730	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3811	15-07-2022	RIVER PUTHIMARI NEAR PUTHIMARI CHOWK AT NH CROSSING	PCBA	6.5	2.1	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4004	11-07-2022	RIVER BRAHMAPUTRA AT BISWANATH GHAT	PCBA	7.4	2.4	300	940	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4005	04-07-2022	RIVER DISANG AT NH CROSSING	PCBA	5.7	2.2	300	610	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



- 5
20
12/
141

STN	0 " D (Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
4011	01-07-2022	RIVER TOCKLAI NEAR BRIDGE AT JORHAT	PCBA	4	2.4	730	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4012	11-07-2022	RIVER TUNIA AT D/S BRPL	PCBA	5.1	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4329	11-07-2022	RIVER LARSING NEAR LOCL DEPO AT MOINARBOND	РСВА	5.3	2.1	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4331	18-07-2022	RIVER DHATESHWARI D/S OF HAILAKANDI	PCBA	4.5	2.1	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4332	04-07-2022	RIVER DEMOW AT DEMOW TOWN	РСВА	5.2	2.7	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4336	20-07-2022	RIVER BORSILA AT BORSILA, DEOPANI, NAMTI	PCBA	5.6	2.2	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4341	15-07-2022	RIVER BARNADI NEAR BRIDGE, NH-52, DUMUNICHOWKI KAMRUP (R)	PCBA	9	2.2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4342	15-07-2022	RIVER BARALIA (NEAR CHATPUJA GHAT) RANGIA, KAMRUP (R)	PCBA	5.7	2.3	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4343	13-07-2022	RIVER BURADIA (NEAR BRIDGE ALONG NH-31) NALBARI	PCBA	8.1	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4344	13-07-2022	RIVER TIHU (NEAR BRIDGE ALONG NH- 31) TIHU, NALBARI	PCBA	8.4	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4345	19-07-2022	RIVER SINGRA (NEAR BRIDGE ALONG NH-37) BOKO, KAMRUP (R)	PCBA	7	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5135	18-07-2022	AIE RIVER NEAR RAKHALDUBI DIST., BONGAIGAON, ASSAM	PCBA	5.3	2.1	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



5138	11-07-2022	TUNIA RIVER, U/S BRPL, DHALIGAON, DIST. CHIRANG, ASSAM	PCBA	5.3	2.3	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5139	14-07-2022	JAMUNA RIVER AT DOBOKA NEAR BRIDGE, DIST. HOJAI	PCBA	5.2	2.2	720	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5140	15-07-2022	BONDANJAN RIVER, SLUICE GATE, BIRKUCHI NARENGI TINIALI, KHARGHULI, NO. 2	PCBA	4	2.1	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5141	05-07-2022	BASISTHA RIVER, BASISTHA CHARIALI, NUTAN BAZAAR, GUWAHATI	PCBA	5	2.1	1100	3500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5142	05-07-2022	PAMOHI RIVER, GACHUK, PAMOHI ROAD, GUWAHATI	PCBA	4.1	2.8	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

