SI. No.	Item No.	Description of works	Unit	Qty.	Rate in Words	Rate in Figure	Amount (Rs.)
1		INDIAN TYPE WATER CLOSET					
		EUROPEAN TYPE WATER CLOSET					
	1.2	Providing fitting and fixing vitreous china pedestal type water					
		closet (European type W.C pan 400mm high) with seat and lead ,CP brass hinges and rubber buffers, CI/MS brackets, 40					
		mm dia flush band with fittings including painting of fittings and					
		brackets, required. (Flushing Cistern to be paid separately)					
		A) Parryware make					
		a) White					
		(i) Universal Closet S Trap (Cat No.C0271) (Anglo Indian) (inclusive of seat cover)	Each	2			
2		PVC FLUSHING CISTERN					
	1.5	Supplying, fiting and fixing PVC flushing cistern with all					
		internal fittings with CI brackets including fitting and fixing					
		standard size CP flush pipe, union clamps etc. compete as directed and specified (pipes will be measured separately)					
		Tullected and specified (pipes will be measured separately)					
		i) Parryware make					
		a) White					
		(i)Economy Single Flush (Cat No.C8090/C8055)	Each	2			
3	_	URINAL		_			
	1.7	Providing fitting and fixing vitreous china flat back type lipped					
		front urinal basin of with automatic flushing cistern with standard flush pipe and CP brass spreader andbrass unions,					
		etc. complete including painting of fittings and brackets,					
		cutting and making good the walls & floors wherever required.					
		A) Parryware make	1				
		a) White]				

SI. No.	Item No.	Description of works	Unit	Qty.	Rate in Words	Rate in Figure	Amount (Rs.)
		(i) Integrated EFS-Smart DC (Cat No.C8182) / Integrated EFS-Smart AC with power source (Cat No.C8195)	Each	1			
4	1.9	SQUATING PLATE URINAL Providing fitting and fixing vitreous china squatting plate urinal with automatic flushing cistern with standard flush pipe and CP brass spreader andbrass unions, etc. complete including painting of fittings and brackets, cutting and making good the walls & floors wherever required. (A) Parryware Make					
		(i) White (Cat. No. C0503)	Each	1			
5		WASH BASIN Providing vitreous China wash basin with CI/MS brackets, C.P brass chain with plug,PVC waste pipe including painting of fittings and brackets, cutting and making good the walls wherever required. (Pillar cock, stop cocks, waste coupling are to be paid separately)					
6	1.13.1	PEDESTAL BASIN (with pedestal) (A) Parryware Make (a) White					
		(i) Duke 660 x 495 (Cat. No.C8416/27) (white/coloured)	Each	2			
7	1.19	MIRROR Providing fitting and fixing Decorative Mirror complete as directed and specified. (A) Parryware Make					

SI. No.	Item No.	Description of works	Unit	Qty.	Rate in Words	Rate in Figure	Amount (Rs.)
			Each	2			
8		SHELF					
		Corner glass shelf with bracketsof Jaquar Make (a) Jaquar Make Continental (Cat.No.ACN-1173)	Each	2			
		Continental (Cat. No. 7 Civ 1175)	Lacii	2			
9		SOAP TRAY,SOAP DISH,LIQUID SOAP DISPENSER AND LIQUID SOAP CONTAINER					
		Providing, fitting and fixing recessed soap tray / soap dish complete as directed and specified.					
		(a) Parryware Make					
			Each	2			
10		TOWEL RAIL, TOWEL RACK & TOWEL RING					
	1.24	Providing, fitting and fixing CP towel rail complete as directed and specified. (a) Jaquar make					
			Each	2			
11	1.36	HCI PIPES,BENDS,JUNCTIONS,TEES ETC.					
		Supplying, fitting and fixing I.S.I marked or similar approved H.C.I pipe including bolts and nuts and other fittings as required and complete at all levels including below G.L as directed and specified. a) In exposed surfaces or in trenches.					

SI. No.	Item No.	Description of works	Unit	Qty.	Rate in Words	Rate in Figure	Amount (Rs.)
		(i) 110mm dia.	RM	10			
12		PVC PIPES,BENDS,JUNCTIONS,TEES ETC.					
	1.37.1	Supplying, fitting and fixing PVC pipes of 6 Kg/cm2 (Supreme/Prince) or other ISI approved including joining ,fitting and fixing wiyh clamps etc.as necessary complete at all levels including below G.L as directed and specified. b) Concealed by chiselling or breaking brick wall/C.C./R.C.C and making good to the damages.					
			Each	2			
	1.37.3	Supplying fiting and fixing 87.5 degree PVC bend with door of (Supreme/Prince) or other ISI approved including joining, fitting and fixing etc. as necessary complete at all levels including below G.L. as directed and specified. b) Concealed by chiselling or breaking brick wall/C.C./R.C.C and making good to the damages.					
			Each	2			
	1.37.5	Supplying fiting and fixing PVC Plain single tee of (Supreme/Prince) or other ISI approved including joining, fitting and fixing etc. as necessary complete at all levels including below G.L. as directed and specified. b) Concealed by chiselling or breaking brick wall/C.C./R.C.C and making good to the damages.					
		(ii) 110mm dia.	Each	2			

SI. No.	Item No.	Description of works	Unit	Qty.	Rate in Words	Rate in Figure	Amount (Rs.)
		Supplying fiting and fixing PVC single 'Y' of (Supreme/Prince) or other ISI approved including joining, fitting and fixing etc. as necessary complete at all levels including below G.L. as directed and specified. b) Concealed by chiselling or breaking brick wall/C.C./R.C.C and making good to the damages.					
			Each	2			
		Supplying fiting and fixing PVC cross 'T' plain of (Supreme/Prince) or other ISI approved including joining , fitting and fixing etc. as necessary complete at all levels including below G.L. as directed and specified. b) Concealed by chiselling or breaking brick wall/C.C./R.C.C and making good to the damages.					
		· ·	Each	2			
		Supplying fiting and fixing PVC coupler of (Supreme / Prince)or other ISI approved including joining, fitting and fixing etc. as necessary complete at all levels including below G.L. as directed and specified. b) Concealed by chiselling or breaking brick wall/C.C./R.C.C and making good to the damages.					
		(i) 110 mm dia	Each	2			
13		MANHOLE COVER					
	1.46	Providing fitting and fixing 450mm dia. 90mm thick C.I. Man hole cover and frame of 58 Kg. weight complete as directed and specified.		1			
14		SOAK PIT AND INSPECTION CHAMBER					

SI. No.	Item No.	Description of works	Unit	Qty.	Rate in Words	Rate in Figure	Amount (Rs.)
	1.51	Construction of filter bed in soak pit including earth work in excavation of soil and then filling up of the trench with brick bats/Charcoal covered with earth over a layer of A.C. plain sheet above brick bat filling complete as directed. (sizes of soak pit may vary depending on the sizes and capacities of the septic tank as well as the number of users as mentioned in the		5.2			
15		PPR PIPE					
	1.53	Supplying fitting and fixing SFMC (SAVOIR-FAIRE MANUFACTURING CO. PVT.LTD.) brand 3 layered (outer green coloured,UV Stabilised,middle black coloured and inner white coloured (with antimicrobial property) fusion welded P.P.R (Polypropelene Random Co-Polymer) pipes of following size with all necessary fitting such as bend ,tee, elbow,reducer,plug and clamp etc. complete at all levels as directed and specified. (i) In exposed surface or trenches					
		(a) 16 mm OD (PN-16) SFMC brand 3 layer P.P.R. pipe	rm	15			
		(b) 20 mm OD (PN-16) SFMC brand 3 layer P.P.R. pipe	rm	12			
		(c) 25 mm OD (PN-16) SFMC brand 3 layer P.P.R. pipe	rm	10			
		(e) 40 mm OD (PN-16) SFMC brand 3 layer P.P.R. pipe	rm	8			
16		SEPTIC TANK					
		Supplying and placing ferrocement septic tanks of rectangular shape in to pit with manhole cover with cleaning arrangement over single brick flat soling and 75mm 1:3:6 P.C.C. Baffle wall, inlet and outlet etc are provided at suitable points complete as directed.					

SI. No.	Item No.	Description of works	Unit	Qty.	Rate in Words	Rate in Figure	Amount (Rs.)	
	(iii)	20 Users	Each	1				
	Total (Rs.)							