



**Pollution Control Board:: Assam  
Bamunimaiadam, Guwahati-21**

**OFFICE ORDER**

No. WB/G-295/21-22/307  
1832

Dated Guwahati, the 26<sup>th</sup> October, 2023

**Sub: Inventory of brick kilns-reg.**

There are a large number of brick kilns, which are operational in the State without valid Consent from the Board. Besides, it is also observed that there are large number of brick kilns, which have been depositing CTE/CTO fee regularly though the Board had not granted CTE/CTO without citing any reason.

Regional officers are hereby directed to inventorise each and every brick kiln unit located within the jurisdiction of the respective RO by physical verification of the units and compile the data in the following format:

Sl. No.	Name and address of the Industry	District	GPS location in decimal format at the chimney location	Capacity in no. of bricks /year	Year of Commissioning	BTK/Zig-Zag Technology	Chimney height	Status of CTE	Status of CTO	Status of fee payment
---------	----------------------------------	----------	--	---------------------------------	-----------------------	------------------------	----------------	---------------	---------------	-----------------------

Database shall be prepared in the MS Excel format. Looking into the urgency of requirement, all ROs are directed to complete the task on or before November 8<sup>th</sup>, 2023. The ROs shall ensure accurate GPS coordinate at the chimney point of every unit. The matter may be treated with utmost Priority.

This has been issued with the approval of the Hon'ble Chairman.

(Shantanu Kr. Dutta)  
Member Secretary

Memo No. WB/G-295/21-22/307-A  
1832

Dated Guwahati, the 26<sup>th</sup> October, 2023

Copy to:

1. The all Regional Heads, ROs, PCBA.
2. Board's Website.
3. P.A. to the Chairman, PCBA for kind appraisal of the Hon'ble Chairman.

Member Secretary