STN	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final
Code	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
1030	RIVER BRAHMAPUTRA AT DIBRUGARH, ASSAM	8.8	2.5	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1031	RIVER BRAHMAPUTRA AT PANDU, ASSAM	6.3	2.8	910	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1258	RIVER JHANJI AT N.H. CROSSING JORHAT, ASSAM	7	2.1	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1259	RIVER DHANSIRI AT GOLAGHAT, ASSAM	6.5	2.2	600	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1261	RIVER SUBANSIRI AT GERUKAMUKH (BEFORE CONFLUENCE WITH RIVER BRAHMAPUTRA)	8.1	2.3	600	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1262	RIVER BRAHMAPUTRA AT NIMATIGHAT, ASSAM	7.5	2.5	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1298	RIVER DISANG AT GUDAMGHAT, ASSAM	6.2	1.9	730	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1299	RIVER BRAHMAPUTRA AT JOGIGHOPA NEAR BRIDGE, ASSAM	6.1	2.5	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1422	RIVER BURHIDIHING AT MARGHERITA, ASSAM	7.3	2.3	910	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1423	RIVER BARAK RIVER AT PANCHAGRAM , ASSAM	6.1	2	610	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final
Code	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
1526	RIVER BRAHMPUTRA RIVER AT DHENUKHAPAHAR, ASSAM	7	2.3	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1527	RIVER BHOGDOI AT JORHAT , ASSAM	6.7	2.5	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1528	RIVER BHARALU AT GUWAHATI, ASSAM	0.8	30.4	2800	4400	DO (Not Satisfied) BOD (Not Satisfied) FC (Not Satisfied) TC (Satisfied)	Not Satisfactory
1530	RIVER DIGBOI AT LAKHIPATHE, RESERVE FOREST, DIGBOI, ASSAM	5.6	3.1	720	1400	DO (Not Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1531	RIVER MORA BHARALI AT TEZPUR, ASSAM	5.9	3.2	730	1500	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
2058	RIVER DISANG AT DILLIGHAT, DIBRUGARH DIST., ASSAM	8.8	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2059	RIVER KOLONG AT MARIGAON, ASSAM	5.1	2.5	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2060	RIVER MANAS AT NH-31 CROSSING, BARPETA DISTRICT, ASSAM	5.4	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2061	RIVER KHARSANG B/C WITH BURIDIHING NEAR KHARSANG (ASSAM-ARUNANCHAL BORDER), ASSAM	7.2	2.4	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2062	RIVER BURHIDIHING NEAR DULIAJAN AT D/S, TINSUKIA, ASSAM	6.6	2.2	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Domonico	Final
Code	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
2063	RIVER JIA BHARALI AT BISWANATH CHARALI, SONITPUR	7.3	2.7	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2064	RIVER BRAHMAPUTRA AT CHANDRAPUR, GUWAHATI, ASSAM	7.6	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2065	RIVER PAGLDIA NEAR NALBARI TOWN, DIST. NALBARI, ASSAM	8	2.3	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2066	RIVER BRAHMAPUTRA AT DHUBRI, ASSAM	5.9	1.9	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2067	RIVER BRAHMPUTRA AT SUALKUCHI, DIST. KAMRUP, ASSAM	7.6	2.2	940	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2068	RIVER KATHAKAL U/S AT MATIJURI, DIST. HAILAKANDI, ASSAM	6.2	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2069	RIVER BRAHMPUTRA NEAR WATER INTAKE POINT AT KACHARIGHAT, PANBAZAR, GUWAHATI, ASSAM	6.2	2	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2228	GELA BEEL AT DERGAON, ASSAM	5	1.9	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2229	RIVER KUNDLI AT KUNDLI/ SAPAKHOWA, SADIA, ASSAM	6.6	2	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2230	RIVER BURHIDIHING AT DULIAJAN (INTAKE POINT OF OIL INDIA LTD.), ASSAM	9.2	2	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Damanka	Final
Code	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
2231	RIVER DIKHOW AT DIKHOW BRIDGE SIVASAGAR, ASSAM	6.4	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2232	RIVER KOHORA AT N.H. CROSSING, KOHORA, ASSAM (BRAHMAPUTRA)	6.5	2.5	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2233	RIVER BOGINADI NEAR BRIDGE NH-52, LAKHIMPUR, ASSAM	7.2	2.2	600	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2234	RIVER RANGA NADI D/S OF HYDEL PROJECT, ASSAM	6.5	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2235	RIVER PANCHNOI AT NH-52 CROSSING, ORANG, ASSAM	6	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2236	RIVER KAPILI AT DHARMTUL BRIDGE, NH-31, MORIGAON, ASSAM	5.1	2	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2237	RIVER KOLONG AT U/S OF ANANDARAM DEKIAL PHUKAN BRIDGE, NAGAON, ASSAM	5	2.5	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2238	RIVER BEKI AT NH-37 CROSSING AT BARPETA ROAD, ASSAM	5.5	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2239	RIVER SANKOSH DHUBRI, ASSAM	5.2	2.2	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2240	RIVER BARAK AT D/S OF SILCHAR, ASSAM	5.3	2.3	910	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Domarko	Final
Code	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
2241	RIVER SONAI AT SONAI, ASSAM	5.4	2.3	300	940	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2242	RIVER KUSHIARA AT KARIMGANJ, ASSAM	5.6	2.4	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3759	RIVER DIKRONG NEAR BRIDGE AT NH-52, BANDARDEWA	8.2	2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3760	RIVER BAROI NEAR BRIDGE AT NH-52, BISWANATH DISTRICT	6.7	2.2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3763	RIVER GABHARU NEAR BRIDGE AT NH-52, NEAR TUMIUKI, SONITPUR	8.8	2.5	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3764	RIVER DHANSIRI NEAR BRIDGE AT NH-15, DHANSIRI BHALUKMARI JUNGLE, UDALGURI	8	2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3765	RIVER BEGA MG ROAD, MANGALDOI	1.8	3.2	1100	2100	DO (Not Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
3767	RIVER NUWA NOI NEAR BRIDGE OVER BOINAOJA PARA, MANGALDOI	9.7	2.7	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3768	RIVER KAKODONGA AT NH-37 CROSSING	6.8	2.1	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3769	RIVER BHOGDOI (PUJADUBI GHAT) INTAKE POINT OF URBAN WATER SUPPLY, JORHAT	6.6	2.2	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Domonko	Final
Code	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
3773	RIVER TOWKAK AT SONARI	6	2.2	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3774	RIVER SUFFRY AT MAIBELLA	6.3	1.8	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3776	RIVER DIKHOW AT NAGINI MORA (INTER-STATE BOUNDARIES, ASSAM-NAGALAND)	6.8	2.1	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3777	RIVER DORIKA NEAR MSW DUMPING SITE, SIVASAGAR	5	2.2	730	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3778	RIVER DIKHOW AT DIKHOWMUKH CONFLUENCE WITH BRAHAMPUTRA	6.3	2.4	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3780	RIVER SESSA NEAR SESSA TINIALI, NH BRIDGE, DIBRUGARH	6.1	2.3	620	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3781	RIVER BRAHAMPUTRA AT BOGIBEEL BRIDGE, BOGIBEEL, DIBRUGARH	7	2.2	920	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3784	RIVER TINGRAI NEAR TINSUKIA MSW DUMPING SITE, ITAKHOLA	8	2	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3786	RIVER GAI NADI AT SOMARAJAN, DHEMAJI	6.4	1.9	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3788	RIVER JIADHAL KUMOTIYA RIVER NEAR JIADHAL BRIDGE, DHEMAJI	7.2	2	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final
Code	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
3791	RIVER KALIANI NEAR KANAIGHAT BRIDGE, KANAIGHAT	6.6	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3792	RIVER DHANSIRI AT JAHAIGHAT	6.4	2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3796	RIVER KUJI (NEAR NEW BOGAGIGAON) NEAR WATER INTAKE POINT FOR NF RAILWAY	5.5	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3797	RIVER MANAS (SANTOSHPUR) NEAR LENGTISINGA	5.2	1.9	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3799	RIVER KILLING IN MORIGAON DISTRICT	6.1	2.1	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3803	RIVER MADHURA AT MADHURAGHAT, CACHAR	5.4	2.8	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3807	RIVER DIGARU AT NH CROSSING	7.8	2.1	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3810	RIVER KULSI AT CHAYGAON NEAR NH37 CROSSING	7.8	2.7	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3811	RIVER PUTHIMARI NEAR PUTHIMARI CHOWK AT NH CROSSING	6.8	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4004	RIVER BRAHAMPUTRA AT BISWANATH GHAT	6.8	2.2	730	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final
Code	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Kemarks	Remarks
4005	RIVER DISANG AT NH CROSSING	5.4	1.9	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4011	RIVER TOCKLAI NEAR BRIDGE AT JORHAT	5.6	2.6	910	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4012	RIVER TUNIA AT D/S BRPL	5.2	2.6	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4329	RIVER LARSING NEAR LOCL DEPO AT MOINARBOND	5.4	2.4	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4331	RIVER DHATESHWARI D/S OF HAILAKANDI	5.7	2.7	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4332	RIVER DEMOW AT DEMOW TOWN	5.8	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4336	RIVER BORSILA AT BORSILA, DEOPANI, NAMTI	6.6	2.1	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4341	RIVER BARNADI NEAR BRIDGE, NH-52, DUMUNICHOWKI KAMRUP	6.2	2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4342	RIVER BARALIA (NEAR CHATPUJA GHAT) RANGIA, KAMRUP	5.3	2.4	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4343	RIVER BURALIA (NEAR BRIDGE ALONG NH-31) NALBARI	7	2.1	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Domarko	Final
Code	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
4344	RIVER TIHU (NEAR BRIDGE ALONG NH-31) TIHU, NALBARI	5.7	2	940	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4345	RIVER SINGRA (NEAR BRIDGE ALONG NH-37) BOKO, KAMRUP	8.1	2.4	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5135	RIVER AIE NEAR RAKHALDUBI DIST., BONGAIGAON, ASSAM	5.4	2.2	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5138	RIVER, TUNIA U/S BRPL, DHALIGAON, DIST. CHIRANG, ASSAM	5.4	2.2	1400	2600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5139	RIVER JAMUNA AT DOBOKA NEAR BRIDGE, DIST. HOJAI	5.7	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5140	RIVER BONDANJAN, SLUICE GATE, BIRKUCHI NARENGI TINIALI, KHARGHULI, NO. 2	5.7	2.5	1500	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5141	RIVER BASISTHA BASISTHA CHARIALI, NUTAN BAZAAR, GUWAHATI	6	2.6	1400	2600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5142	RIVER PAMOHI GACHUK, PAMOHI ROAD, GUWAHATI	3	2.9	1500	2400	DO (Not Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
5599	RIVER GADADHAR AT GOLKGANJ BRIDGE	5.3	2	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5600	RIVER NAMDANG NEAR BRIDGE AT HATI PATTY GELEKY	6.2	1.9	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Domonico	Final
Code	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Remarks
5601	RIVER NAMDANG AT KALUGAON	6.3	2.2	300	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5602	RIVER KAPILI AT KHERONI GHAT NEAR BRIDGE, WEST KARBI ANGLONG , KHERONI	5.2	2.4	930	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5603	RIVER DALOO AT DALOO, CACHAR	5.6	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5604	RIVER EGO (SIMEN) NEAR SIMENCHAPORI BRIDGE,DHEMAJI	7.6	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5605	RIVER DISANG AT NANGALMARA GHAT	7.2	1.8	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5606	RIVER DIKHOW AT SIMALUGURI	6.4	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5607	RIVER THIU AT D/S OF INDUSTRIAL AREA NEAR HELOCHAPARA SHIVA TEMPLE	6.4	2	910	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5608	RIVER KULSI AT KUKURMARA	6.4	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5609	RIVER TUNIA AT NEW BONGAIGAON RAILWAY STATION	5.3	2.6	1100	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5610	RIVER BRAHMAPUTRA AT MATIA (BAHATI GHAT)	8.7	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN	Station Name	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final
Code	Water Quality Criteria>	> 5.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		Remarks
5611	RIVER MORNOI AT MORNOI GHAT	9.4	2.2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5612	RIVER BRAHMAPUTRA NEWR DHOLA SADIA BRIDGE	8.2	2.2	910	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5613	RIVER DOOMDOOMA AT D/S OF DOOMDOOMA TOWN AT HANSARA	7.8	2.1	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5614	RIVER BEGA AT D/S OF MANGALDOI TOWN	1.8	3.2	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
5615	RIVER GHOGRA NEAR ITI, SRIKONA MAIN BLOCK	6	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5616	RIVER TUNIA AT NH NEAR BGR	5.1	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory