٧٥
W

STN	Sampling	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
1030	04-04-2022	RIVER BRAHMAPUTRA AT DIBRUGARH, ASSAM	PCBA	10.4	2.4	360	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1031	04-04-2022	RIVER BRAHMAPUTRA AT PANDU, ASSAM	PCBA	9.8	2.2	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1258	05-04-2022	RIVER JHANJI AT N.H. CROSSING JORHAT, ASSAM	PCBA	7.6	2.4	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1259	18-04-2022	RIVER DHANSIRI AT GOLAGHAT, ASSAM	PCBA	9.5	2.8	300	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1261	26-04-2022	RIVER SUBANSIRI AT GEREKAMUKH (BEFORE CONFL. WITH BRAH.), ASSAM	PCBA	10.1	2.6	300	620	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1262	05-04-2022	RIVER BRAHMAPUTRA AT NIMATIGHAT, ASSAM	PCBA	7,1	2.3	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1298	11-04-2022	RIVER DISANG AT GUNDAMGHAT, ASSAM	PCBA	6.4	2.7	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1299	04-04-2022	RIVER BRAHMAPUTRA AT JOGIJHOGA NEAR BRIDGE, ASSAM	PCBA	7.6	2.4	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1422	18-04-2022	RIVER BURHIDIHING AT MARGHERITA, ASSAM	. PCBA	7.8	2.7	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1423	26-04-2022	RIVER BARAK AT PANCHAGRAM , ASSAM	PCBA	5.4	2.3	360	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1526	26-04-2022	RIVER BRAHMAPUTRA RIVER AT DHENUKHAPAHAR, ASSAM	PCBA	7.2	2.6	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



, yor	
\/	

STN	Sampling	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		F: 15
Code	Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
1527	05-04-2022	RIVER BHOGDOI AT JORHAT , ASSAM	PCBA	6.1	2.7	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1528	04-04-2022	RIVER BHARALU AT GUWAHATI, ASSAM	PCBA	0.3(BDL)	38.4	2300	4300	DO (Not Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1530	18-04-2022	RIVER DIGBOI AT LAKHIPATHER, RESERVE FOREST, DIGBOI	PCBA	6.5	4.4	910	2000	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1531	26-04-2022	RIVER MORA BHARALI AT TEZPUR, ASSAM	PCBA	4.5	3.3	360	720	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
2058	26-04-2022	RIVER DISANG AT DILLIGHAT, DIBRUGARH DIST., ASSAM	PCBA	8.4	2.6	300	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2059	04-04-2022	RIVER KOLONG AT MARIGAON, ASSAM	PCBA	4	2.6	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2060	25-04-2022	MANAS RIVER AT NH-31 CROSSING, BARPETA, DISTRICT	PCBA	5.6	2.4	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2061	18-04-2022	RIVER KHARSANG B/C WITH BURIDIHING NEAR KHARSANG (ASSAM- ARUNANCHAL BORDER), ASSAM	PCBA	7.7	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2062	26-04-2022	RIVER BURHIDIHING NEAR DULIAJAN AT D/S, TINSUKIA,	PCBA	9.2	2.8	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2063	06-04-2022	RIVER JIA BHARALI NEAR BISWANATH CHARALI,	PCBA	6.8	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2064	25-04-2022	RIVER BRAHMAPUTRA AT CHANDRAPUR, GUWAHATI	PCBA	9.5	2.3	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2065	06-04-2022	RIVER PAGLDIA NEAR NALBARI TOWN, DIST. NALBARI, ASSAM	PCBA	7.4	2.8	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



	B
	W
1	

STN	Sampling	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
2066	25-04-2022	RIVER BRAHMAPUTRA AT DHUBRI, ASSAM	PCBA	7.6	2.7	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2067	06-04-2022	RIVER BRAHMPUTRA AT SUALKUCHI, DIST. KAMRUP	PCBA	9.2	2.4	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2068	26-04-2022	RIVER KATHAKAL U/S AT MATIJURI, DIST. HAILAKANDI	PCBA	6.2	2.7	730	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2069	25-04-2022	RIVER BRAHMAPUTRA NEAR WATER INTAKE PT. AT KACHARIGHAT	PCBA	9.6	2.4	300	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2228	18-04-2022	RIVER GELABEEL AT DERGAON, ASSAM	PCBA	8.1	2.3	610	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2229	04-04-2022	RIVER KUNDIL AT KUNDLI/ SAPAKHOWA, SADIA, ASSAM	PCBA	9.6	2.6	360	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2230	26-04-2022	RIVER BURHIDIHING AT DULIAJAN (INTAKE POINT OF OIL INDIA LTD.), ASSAM	PCBA	8.8	2.6	720	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2231	07-04-2022	RIVER DIKHOW AT DIKHOW BRIDGE SIVASAGAR, ASSAM	PCBA	6.3	2.6	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2232	18-04-2022	RIVER KOHORA AT N.H. CROSSING, KOHORA, ASSAM (BRAHMAPUTRA)	РСВА	5	2.4	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2233	06-04-2022	RIVER BOGINADI NEAR BRIDGE NH-52, LAKHIMPUR, ASSAM	РСВА	6.3	2.6	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2234	06-04-2022	RIVER RANGA NADI D/S OF HYDEL PROJECT, ASSAM	PCBA	5.8	2.6	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2235	27-04-2022	RIVER PANCHNAI AT NH-52 CROSSING, ORANG, ASSAM	PCBA	5.5	2.6	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



STN	Sampling Date	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
2236	25-04-2022	RIVER KAPILI AT DHARMTUL BRIDGE, NH-31, NAGAON	PCBA	6	2.8	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2237	25-04-2022	RIVER KOLONG AT U/S OF ADP BRIDGE, NAGAON, ASSAM	PCBA	6.2	2.3	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2238	25-04-2022	RIVER BEKI AT NH-37 CROSSING AT BARPETA ROAD, ASSAM	PCBA	5.4	2.6	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2239	25-04-2022	RIVER SANKOSH DHUBRI, ASSAM	PCBA	5.4	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2240	06-04-2022	RIVER BARAK AT D/S OF SILCHAR, ASSAM	PCBA	5.6	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2241	06-04-2022	RIVER SONAI AT SONAI, ASSAM	PCBA	5.5	2.3	610	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2242	26-04-2022	RIVER KUSHIARA AT KARIMGANJ, ASSAM	PCBA	6.1	2.7	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3759	06-04-2022	RIVER DIKRONG NEAR BRIDGE AT NH- 52, BANDARDEWA	PCBA	6.4	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3760	06-04-2022	RIVER BAROI NEAR BRIDGE AT NH-52, BISWANATH DISTRICT	PCBA	6	2.2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3763	27-04-2022	RIVER GABHARU NEAR BRIDGE AT NH- 52, NEAR TUMIUKI, SONITPUR	PCBA	5.6	2.4	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3764	27-04-2022	RIVER DHANSIRI NEAR BRIDGE AT NH- 15, DHANSIRI, UDALGURI	PCBA	6	2.6	360	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3765	27-04-2022	RIVER BEGA MG ROAD, MANGALDOI	PCBA	5.4	3.4	1100	2100	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory





STN	Commilian Data	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
3767	27-04-2022	RIVER NUWA NOI NEAR BRIDGE OVER BOINAOJA PARA, MANGALDOI	PCBA	5.6	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3768	05-04-2022	RIVER KAKODONGA AT NH-37 CROSSING	PCBA	4	2.5	910	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3769	05-04-2022	RIVER BHOGDOI INTAKE PT. OF URBAN WATER SUPPLY, JORHAT	PCBA	7	2.7	360	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3773	11-04-2022	RIVER TOWKAK AT SONARI	PCBA	6.6	2.7	1500	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3774	11-04-2022	RIVER SUFFRY AT MAIBELLA	PCBA	6.9	2.6	360	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3776	11-04-2022	RIVER DIKHOW AT NAGINI MORA (INTER-STATE BOUNDARIES, ASSAM- NAGALAND)	PCBA	7.2	2.4	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3777	07-04-2022	RIVER DORIKA NEAR MSW DUMPING SITE, SIVASAGAR	PCBA	5.6	2.4	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3778	07-04-2022	RIVER DIKHOW AT DIKHOMUKH CONFLUENCE WITH BRAHAMPUTRA	PCBA	6.9	2.9	360	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3780	04-04-2022	RIVER SESSA NEAR SESSA TINIALI, NH BRIDGE, DIBRUGARH	PCBA	7.6	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3781	26-04-2022	RIVER BRAHMAPUTRA AT BOGIBEEL BRIDGE, BOGIBEEL, DIBRUGARH	PCBA	9.2	2.6	300	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3784	04-04-2022	RIVER TINGRAI NEAR TINSUKIA MSW DUMPING SITE, ITAKHOLA	РСВА	7.4	2.7	610	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3786	26-04-2022	RIVER GAI NADI AT SOMARAJAN, DHEMAJI	РСВА	8	2.7	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory





STN		Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
3788	26-04-2022	RIVER JIADHAL KUMOTIYA RIVER NEAR JIADHAL BRIDGE, DHEMAJI	PCBA	8.9	2.4	300	600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3791	18-04-2022	RIVER KALIANI NEAR KANAIGHAT BRIDGE, KANAIGHAT	PCBA	8.8	2.7	300	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3792	18-04-2022	RIVER DHANSIRI AT JAHAIGHAT	PCBA	7	2.6	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3796	04-04-2022	RIVER KUJIA (NEAR NEW BOGAGIGAON) NEAR WATER INTAKE POINT FOR NF RAILWAY	PCBA	5.4	2.7	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3797	25-04-2022	RIVER MANAS (SANTOSHPUR) NEAR LENGTISINGA	PCBA	5.5	2.7	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3799	04-04-2022	RIVER KILLING IN MORIGAON DISTRICT	PCBA	6.4	2.6	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3803	06-04-2022	RIVER MADHURA AT MADHURAGHAT, CACHAR	PCBA	5.3	2.2	730	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3807	28-04-2022	RIVER DIGARU AT NH CROSSING	PCBA	4.2	2.5	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3810	29-04-2022	RIVER KULSI AT CHAYGAON NEAR NH37 CROSSING	PCBA	7.6	2.5	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3811	26-04-2022	RIVER PUTHIMARI NEAR PUTHIMARI CHOWK AT NH CROSSING	PCBA	7	2.7	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4004	06-04-2022	RIVER BRAHMAPUTRA AT BISWANATH GHAT	PCBA	7	2.7	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4005	07-04-2022	RIVER DISANG AT NH CROSSING	PCBA	6.8	2.6	720	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



			١
	11	0	į
1	И	/	
١,	/		

STN	0 " 0 "	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
4011	05-04-2022	RIVER TOCKLAI NEAR BRIDGE AT JORHAT	PCBA	4.2	2.6	1500	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4012	04-04-2022	RIVER TUNIA AT D/S BRPL	PCBA	5.1	2.6	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4329	06-04-2022	RIVER LARSING NEAR LOCL DEPO AT MOINARBOND	PCBA	5.3	2.3	720	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4331	26-04-2022	RIVER DHATESHWARI D/S OF HAILAKANDI	PCBA	4.8	2.7	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4332	07-04-2022	RIVER DEMOW AT DEMOW TOWN	PCBA	6.1	2.7	1500	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4336	18-04-2022	RIVER BORSILA AT BORSILA, DEOPANI, NAMTI	PCBA	7.2	2.5	NA	NA	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4341	26-04-2022	RIVER BARNADI NEAR BRIDGE, NH-52, DUMUNICHOWKI KAMRUP (R)	PCBA	4.4	2.6	300	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4342	26-04-2022	RIVER BARALIA (NEAR CHATPUJA GHAT) RANGIA, KAMRUP (R)	PCBA	6.7	2.6	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4343	06-04-2022	RIVER BURADIA (NEAR BRIDGE ALONG NH-31) NALBARI	PCBA	7.2	2.6	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4344	06-04-2022	RIVER TIHU (NEAR BRIDGE ALONG NH- 31) TIHU, NALBARI	PCBA	7	2.2	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4345	29-04-2022	RIVER SINGRA (NEAR BRIDGE ALONG NH-37) BOKO, KAMRUP (R)	РСВА	7.5	2.7	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5135	25-04-2022	AIE RIVER NEAR RAKHALDUBI DIST., BONGAIGAON, ASSAM	PCBA	5.3	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5138	04-04-2022	TUNIA RIVER, U/S BRPL, DHALIGAON, DIST. CHIRANG, ASSAM	PCBA	5.3	2.4	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory



1	40
---	----

5139	24-04-2022	JAMUNA RIVER AT DOBOKA NEAR BRIDGE, DIST. HOJAI	PCBA	6.4	2.7	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5140	25-04-2022	BONDANJAN RIVER, SLUICE GATE, BIRKUCHI NARENGI TINIALI, KHARGHULI, NO. 2	PCBA	4	2.2	1400	3500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5141	04-04-2022	BASISTHA RIVER, BASISTHA CHARIALI, NUTAN BAZAAR, GUWAHATI	PCBA	4.2	2.8	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5142	04-04-2022	PAMOHI RIVER, GACHUK, PAMOHI ROAD, GUWAHATI	PCBA	4.1	4.1	1100	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

