

WATER QUALITY INDEX OF RIVER WATER AT DIFFERENT LOCATIONS IN THE STATE OF ASSAM UNDER NWMP FOR DECEMBER - 2022

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
1030	06-12-22	RIVER BRAHMAPUTRA AT DIBRUGARH, ASSAM	PCBA	7.4	2.3	730	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1031	05-12-22	RIVER BRAHMAPUTRA AT PANDU, ASSAM	PCBA	8.7	2.4	940	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1258	05-12-22	RIVER JHANJI AT N.H. CROSSING JORHAT, ASSAM	PCBA	7.5	2.5	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1259	13-12-22	RIVER DHANSIRI AT GOLAGHAT, ASSAM	PCBA	9.2	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1261	13-12-22	RIVER SUBANSIRI AT GERUKAMUKH (BEFORE CONFLUENCE WITH RIVER BRAHMAPUTRA)	PCBA	8.9	2.5	620	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1262	05-12-22	RIVER BRAHMAPUTRA AT NIMATIGHAT, ASSAM	PCBA	7.7	2.5	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1298	12-12-22	RIVER DISANG AT GUDAMGHAT, ASSAM	PCBA	6.3	2.1	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1299	06-12-22	RIVER BRAHMAPUTRA AT JOGIGHOPA NEAR BRIDGE, ASSAM	PCBA	5.6	2.3	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1422	13-12-22	RIVER BURHIDIHING AT MARGHERITA, ASSAM	PCBA	7.4	2.5	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1423	21-12-22	RIVER BARAK RIVER AT PANCHAGRAM, ASSAM	PCBA	5.1	2.3	940	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1526	21-12-22	RIVER BRAHMPUTRA RIVER AT DHENUKHAPAHAR, ASSAM	PCBA	7.3	2.7	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
1527	05-12-22	RIVER BHOGDOI AT JORHAT , ASSAM	PCBA	7.5	2.7	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1528	05-12-22	RIVER BHARALU AT GUWAHATI, ASSAM	PCBA	0.3(BDL)	36.4	2800	4200	DO (Not Satisfied) BOD (Not Satisfied) FC (Not Satisfied) TC (Satisfied)	Not Satisfactory
1530	13-12-22	RIVER DIGBOI AT LAKHIPATHE, RESERVE FOREST, DIGBOI	PCBA	6.6	3.1	1100	2000	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1531	21-12-22	RIVER MORA BHARALI AT TEZPUR, ASSAM	PCBA	4	3.2	620	1200	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
2058	21-12-22	RIVER DISANG AT DILLIGHAT, DIBRUGARH DIST., ASSAM	PCBA	7.9	2.2	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2059	05-12-22	RIVER KOLONG AT MARIGAON, ASSAM	PCBA	4.3	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2060	19-12-22	RIVER MANAS AT NH-31 CROSSING, BARPETA DISTRICT	PCBA	5.3	2.3	610	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2061	13-12-22	RIVER KHARSANG B/C WITH BURIDIHING NEAR KHARSANG (ASSAM-ARUNANCHAL BORDER), ASSAM	PCBA	8.6	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2062	21-12-22	RIVER BURHIDIHING NEAR DULIAJAN AT D/S, TINSUKIA	PCBA	5.2	2.2	920	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2063	12-12-22	RIVER JIA BHARALI AT BISWANATH CHARALI, SONITPUR	PCBA	6.8	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2064	16-12-22	RIVER BRAHMAPUTRA AT CHANDRAPUR, GUWAHATI	PCBA	6.5	2.6	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2065	05-12-22	RIVER PAGLDIA NEAR NALBARI TOWN, DIST. NALBARI, ASSAM	PCBA	9.3	2.8	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
2066	19-12-22	RIVER BRAHMAPUTRA AT DHUBRI, ASSAM	PCBA	5.5	2.3	610	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2067	05-12-22	RIVER BRAHMPUTRA AT SUALKUCHI, DIST. KAMRUP, ASSAM	PCBA	9.7	2.5	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2068	21-12-22	RIVER KATHAKAL U/S AT MATIJURI, DIST. HAILAKANDI, ASSAM	PCBA	6.2	2.4	940	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2069	05-12-22	RIVER BRAHMPUTRA NEAR WATER INTAKE POINT AT KACHARIGHAT, GUWAHATI	PCBA	7.8	2.7	930	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2228	13-12-22	GELA BEEL AT DERGAON, ASSAM	PCBA	9.1	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2229	06-12-22	RIVER KUNDLI AT KUNDLI/ SAPAKHOWA, SADIA, ASSAM	PCBA	7.2	2.3	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2230	21-12-22	RIVER BURHIDIHING AT DULIAJAN (INTAKE POINT OF OIL INDIA LTD.), ASSAM	PCBA	5.6	2.3	940	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2231	08-12-22	RIVER DIKHOW AT DIKHOW BRIDGE SIVASAGAR, ASSAM	PCBA	7.7	2.2	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2232	13-12-22	RIVER KOHORA AT N.H. CROSSING, KOHORA, ASSAM (BRAHMAPUTRA)	PCBA	4.7	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2233	12-12-22	RIVER BOGINADI NEAR BRIDGE NH-52, LAKHIMPUR, ASSAM	PCBA	6.2	2.5	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2234	12-12-22	RIVER RANGA NADI D/S OF HYDEL PROJECT, ASSAM	PCBA	6	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2235	22-12-22	RIVER PANCHNOI AT NH-52 CROSSING, ORANG, ASSAM	PCBA	5.6	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
2236	16-12-22	RIVER KAPILI AT DHARMTUL BRIDGE, NH-31, MORIGAON	PCBA	4.7	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2237	16-12-22	RIVER KOLONG AT U/S OF ADP BRIDGE, NAGAON, ASSAM	PCBA	4.1	2.1	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2238	19-12-22	RIVER BEKI AT NH-37 CROSSING AT BARPETA ROAD, ASSAM	PCBA	5.5	2.6	610	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2239	19-12-22	RIVER SANKOSH DHUBRI, ASSAM	PCBA	5.3	2.5	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2240	12-12-22	RIVER BARAK AT D/S OF SILCHAR, ASSAM	PCBA	5.1	2.1	1100	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2241	12-12-22	RIVER SONAI AT SONAI, ASSAM	PCBA	5.1	2.1	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2242	21-12-22	RIVER KUSHIARA AT KARIMGANJ, ASSAM	PCBA	6	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3759	12-12-22	RIVER DIKONG NEAR BRIDGE AT NH-52, BANDARDEWA	PCBA	6.6	2.4	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3760	12-12-22	RIVER BAROI NEAR BRIDGE AT NH-52, BISWANATH DISTRICT	PCBA	5.6	2.5	610	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3763	22-12-22	RIVER GABHARU NEAR BRIDGE AT NH-52, NEAR TUMIUKI, SONITPUR	PCBA	5.2	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3764	22-12-22	RIVER DHANSIRI NEAR BRIDGE AT NH-15, DHANSIRI BHALUKMARI JUNGLE, UDALGURI	PCBA	6	2.5	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3765	22-12-22	RIVER BEGA MG ROAD, MANGALDOI	PCBA	5.5	3.1	920	1600	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
3767	22-12-22	RIVER NUWA NOI NEAR BRIDGE OVER BOINAOJA PARA, MANGALDOI	3767	5.6	2.6	610	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3768	05-12-22	RIVER KAKODONGA AT NH-37 CROSSING	3768	4.5	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3769	05-12-22	RIVER BHOGDOI (PUJADUBI GHAT) INTAKE POINT OF URBAN WATER SUPPLY, JORHAT	3769	7.9	2.4	300	700	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3773	12-12-22	RIVER TOWKAK AT SONARI	3773	7	2.4	720	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3774	12-12-22	RIVER SUFFRY AT MAIBELLA	3774	6.8	2.3	300	620	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3776	12-12-22	RIVER DIKHOW AT NAGINI MORA (INTER-STATE BOUNDARIES, ASSAM-NAGALAND)	3776	7.1	2.3	720	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3777	08-12-22	RIVER DORIKA NEAR MSW DUMPING SITE, SIVASAGAR	3777	5	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3778	08-12-22	RIVER DIKHOW AT DIKHOWMUKH CONFLUENCE WITH BRAHAMPUTRA	3778	7.8	2.3	300	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3780	06-12-22	RIVER SESSA NEAR SESSA TINIALI, NH BRIDGE, DIBRUGARH	3780	5.7	2.3	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3781	13-12-22	RIVER BRAHAMPUTRA AT BOGIBEEL BRIDGE, BOGIBEEL, DIBRUGARH	3781	8.1	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3784	06-12-22	RIVER TINGRAI NEAR TINSUKIA MSW DUMPING SITE, ITAKHOLA	3784	6.2	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3786	13-12-22	RIVER GAI NADI AT SOMARAJAN, DHEMAJI	3786	9	2.4	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
3788	13-12-22	RIVER JIADHAL KUMOTIYA RIVER NEAR JIADHAL BRIDGE, DHEMAJI	PCBA	8.9	2.4	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3791	13-12-22	RIVER KALIANI NEAR KANAIGHAT BRIDGE, KANAIGHAT	PCBA	8.1	2.4	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3792	13-12-22	RIVER DHANSIRI AT JAHAIGHAT	PCBA	8.1	2.3	300	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3796	06-12-22	RIVER KUJI (NEAR NEW BOGAGIGAON) NEAR WATER INTAKE POINT FOR NF RAILWAY	PCBA	5.4	2.2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3797	19-12-22	RIVER MANAS (SANTOSH PUR) NEAR LENGTISINGA	PCBA	5.4	2.5	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3799	05-12-22	RIVER KILLING IN MORIGAON DISTRICT	PCBA	9.3	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3803	12-12-22	RIVER MADHURA AT MADHURAGHAT, CACHAR	PCBA	5.2	2.5	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3807	16-12-22	RIVER DIGARU AT NH CROSSING	PCBA	6.6	2.5	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3810	16-12-22	RIVER KULSI AT CHAYGAON NEAR NH37 CROSSING	PCBA	6.8	2.6	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3811	07-12-22	RIVER PUTHIMARI NEAR PUTHIMARI CHOWK AT NH CROSSING	PCBA	7.3	2.8	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4004	12-12-22	RIVER BRAHAMPUTRA AT BISWANATH GHAT	PCBA	7.3	2.6	940	1900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4005	08-12-22	RIVER DISANG AT NH CROSSING	PCBA	6.6	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
4011	05-12-22	RIVER TOCKLAI NEAR BRIDGE AT JORHAT	PCBA	5.2	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4012	06-12-22	RIVER TUNIA AT D/S BRPL	PCBA	5.3	2.5	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4329	12-12-22	RIVER LARSING NEAR LOCL DEPO AT MOINARBOND	PCBA	5.1	2.4	930	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4331	21-12-22	RIVER DHATESHWARI D/S OF HAILAKANDI	PCBA	4.6	2.3	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4332	08-12-22	RIVER DEMOW AT DEMOW TOWN	PCBA	6.5	2.6	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4336	13-12-22	RIVER BORSILA AT BORSILA, DEOPANI, NAMTI	PCBA	7.2	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4341	07-12-22	RIVER BARNADI NEAR BRIDGE, NH-52, DUMUNICHOWKI KAMRUP	PCBA	8.1	2.3	360	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4342	07-12-22	RIVER BARALIA (NEAR CHATPUJA GHAT) RANGIA, KAMRUP	PCBA	5.6	2.5	940	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4343	05-12-22	RIVER BURALIA (NEAR BRIDGE ALONG NH-31) NALBARI	PCBA	9.5	2.1	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4344	05-12-22	RIVER TIHU (NEAR BRIDGE ALONG NH-31) TIHU, NALBARI	PCBA	7.7	2.5	930	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4345	16-12-22	RIVER SINGRA (NEAR BRIDGE ALONG NH-37) BOKO, KAMRUP	PCBA	7.6	2.4	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5135	19-12-22	RIVER AIE NEAR RAKHALDUBI DIST., BONGAIGAON, ASSAM	PCBA	5.1	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

STN Code	Sampling Date	Station Name	Mon Agency	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Remarks
		Water Quality Criteria		> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		
5138	06-12-22	RIVER, TUNIA U/S BRPL, DHALIGAON, DIST. CHIRANG, ASSAM	PCBA	5.2	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5139	16-12-22	RIVER JAMUNA AT DOBOKA NEAR BRIDGE, DIST. HOJAI	PCBA	6.6	2.6	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5140	16-12-22	RIVER BONDANJAN, SLUICE GATE, BIRKUCHI NARENGI TINIALI, KHARGHULI, NO. 2	PCBA	4	2.5	2000	3500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5141	05-12-22	RIVER BASISTHA BASISTHA CHARIALI, NUTAN BAZAAR, GUWAHATI	PCBA	4.4	2.3	1600	2900	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5142	05-12-22	RIVER PAMOHI GACHUK, PAMOHI ROAD, GUWAHATI	PCBA	4.2	2.6	1500	2800	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory