N
N/
2

STN	Sampling	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
1030	08-06-2022	RIVER BRAHMAPUTRA AT DIBRUGARH, ASSAM	PCBA	8.8	2.3	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1031	07-06-2022	RIVER BRAHMAPUTRA AT PANDU, ASSAM	PCBA	8.5	2.5	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1258	01-06-2022	RIVER JHANJI AT N.H. CROSSING JORHAT, ASSAM	PCBA	7.7	2.1	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1259	15-06-2022	RIVER DHANSIRI AT GOLAGHAT, ASSAM	PCBA	6.3	2.6	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1261	27-06-2022	RIVER SUBANSIRI AT GEREKAMUKH (BEFORE CONFL. WITH BRAH.), ASSAM	PCBA	9	2.6	300	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1262	08-06-2022	RIVER BRAHMAPUTRA AT NIMATIGHAT, ASSAM	PCBA	7.4	2.2	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1298	09-06-2022	RIVER DISANG AT GUNDAMGHAT, ASSAM	PCBA	7.3	2.4	610	930	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1299	08-06-2022	RIVER BRAHMAPUTRA AT JOGIJHOGA NEAR BRIDGE, ASSAM	PCBA	6.4	2.3	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1422	16-06-2022	RIVER BURHIDIHING AT MARGHERITA, ASSAM	PCBA	6.2	2.5	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1423		RIVER BARAK AT PANCHAGRAM , ASSAM	РСВА					DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	
1526	29-06-2022	RIVER BRAHMAPUTRA RIVER AT DHENUKHAPAHAR, ASSAM	PCBA	7.1	2.7	620	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

-	1. 7
	di

STN	Sampling	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
Code	Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
1527	01-06-2022	RIVER BHOGDOI AT JORHAT , ASSAM	PCBA	6.3	2.4	910	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
1528	07-06-2022	RIVER BHARALU AT GUWAHATI, ASSAM	PCBA	0.3(BDL)	34.2	2100	4200	DO (Not Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1530	15-06-2022	RIVER DIGBOI AT LAKHIPATHER, RESERVE FOREST, DIGBOI	PCBA	2.8	3.8	620	1200	DO (Not Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
1531	29-06-2022	RIVER MORA BHARALI AT TEZPUR, ASSAM	PCBA	5.2	3.2	360	1100	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory
2058	27-06-2022	RIVER DISANG AT DILLIGHAT, DIBRUGARH DIST., ASSAM	PCBA	7.8	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2059	07-06-2022	RIVER KOLONG AT MARIGAON, ASSAM	PCBA	5.3	2.4	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2060	29-06-2022	MANAS RIVER AT NH-31 CROSSING, BARPETA, DISTRICT	PCBA	5.2	2.3	300	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2061	16-06-2022	RIVER KHARSANG B/C WITH BURIDIHING NEAR KHARSANG (ASSAM- ARUNANCHAL BORDER), ASSAM	PCBA	6.3	2.2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2062	27-06-2022	RIVER BURHIDIHING NEAR DULIAJAN AT D/S, TINSUKIA,	РСВА	5.6	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2063	14-06-2022	RIVER JIA BHARALI NEAR BISWANATH CHARALI,	PCBA	7.2	2.2	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2064	21-06-2022	RIVER BRAHMAPUTRA AT CHANDRAPUR, GUWAHATI	РСВА	6.2	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2065	07-06-2022	RIVER PAGLDIA NEAR NALBARI TOWN, DIST. NALBARI, ASSAM	РСВА	8.5	2.5	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

	0
h	NI
,	2/
	~

STN Sampling	Sampling	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform	Remarks	Final Banada
Code	Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		Final Remarks
2066	29-06-2022	RIVER BRAHMAPUTRA AT DHUBRI, ASSAM	PCBA	6.5	2.5	720	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2067	07-06-2022	RIVER BRAHMPUTRA AT SUALKUCHI, DIST. KAMRUP	PCBA	8.2	2.4	940	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2068		RIVER KATHAKAL U/S AT MATIJURI, DIST. HAILAKANDI	PCBA					DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	
2069	14-06-2022	RIVER BRAHMAPUTRA NEAR WATER INTAKE PT. AT KACHARIGHAT	PCBA	8.1	2.2	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2228	15-06-2022	RIVER GELABEEL AT DERGAON, ASSAM	PCBA	7.5	2.3	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2229	08-06-2022	RIVER KUNDIL AT KUNDLI/ SAPAKHOWA, SADIA, ASSAM	PCBA	8.4	2.5	610	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2230	27-06-2022	RIVER BURHIDIHING AT DULIAJAN (INTAKE POINT OF OIL INDIA LTD.), ASSAM	PCBA	6.8	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2231	07-06-2022	RIVER DIKHOW AT DIKHOW BRIDGE SIVASAGAR, ASSAM	РСВА	6.2	2.3	910	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2232	15-06-2022	RIVER KOHORA AT N.H. CROSSING, KOHORA, ASSAM (BRAHMAPUTRA)	PCBA	5.1	2.4	300	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2233	14-06-2022	RIVER BOGINADI NEAR BRIDGE NH-52, LAKHIMPUR, ASSAM	PCBA	6.4	2.4	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2234	14-06-2022	RIVER RANGA NADI D/S OF HYDEL PROJECT, ASSAM	PCBA	5.8	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2235	30-06-2022	RIVER PANCHNAI AT NH-52 CROSSING, ORANG, ASSAM	PCBA	6.2	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

	0.00
-	ON.
	-1/
-	W

STN Samulian Bata	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform			
Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
2236		RIVER KAPILI AT DHARMTUL BRIDGE, NH-31, NAGAON	PCBA					DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	
2237		RIVER KOLONG AT U/S OF ADP BRIDGE, NAGAON, ASSAM	PCBA					DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2238	29-06-2022	RIVER BEKI AT NH-37 CROSSING AT BARPETA ROAD, ASSAM	PCBA	5.4	2.5	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2239	29-06-2022	RIVER SANKOSH DHUBRI, ASSAM	PCBA	5.4	2.4	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2240	13-06-2022	RIVER BARAK AT D/S OF SILCHAR, ASSAM	PCBA	5.5	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2241	13-06-2022	RIVER SONAI AT SONAI, ASSAM	PCBA	5.5	2.3	600	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
2242		RIVER KUSHIARA AT KARIMGANJ, ASSAM	PCBA			a		DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3759	14-06-2022	RIVER DIKRONG NEAR BRIDGE AT NH- 52, BANDARDEWA	PCBA	6.2	2.4	610	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3760	14-06-2022	RIVER BAROI NEAR BRIDGE AT NH-52, BISWANATH DISTRICT	PCBA	6	2.1	610	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3763	30-06-2022	RIVER GABHARU NEAR BRIDGE AT NH- 52, NEAR TUMIUKI, SONITPUR	PCBA	5.8	2.2	620	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3764	30-06-2022	RIVER DHANSIRI NEAR BRIDGE AT NH- 15, DHANSIRI, UDALGURI	PCBA	6.4	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3765	30-06-2022	RIVER BEGA MG ROAD, MANGALDOI	РСВА	6	3.3	920	1900	DO (Satisfied) BOD (Not Satisfied) FC (Satisfied) TC (Satisfied)	Not Satisfactory

	0
1	1
1	- 3

STN		Station Name Water Quality Criteria	Mon	DO	BOD	Fecal Coliform	Total Coliform	Remarks	
Code	Sampling Date		Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml		Final Remarks
3767	30-06-2022	RIVER NUWA NOI NEAR BRIDGE OVER BOINAOJA PARA, MANGALDOI	PCBA	5.6	2.5	610	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3768	01-06-2022	RIVER KAKODONGA AT NH-37 CROSSING	PCBA	6	2.4	910	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
<b>3</b> 769	01-06-2022	RIVER BHOGDOI INTAKE PT. OF URBAN WATER SUPPLY, JORHAT	PCBA	6.8	2.6	360	730	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3773	09-06-2022	RIVER TOWKAK AT SONARI	PCBA	7.1	2.4	1500	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3774	09-06-2022	RIVER SUFFRY AT MAIBELLA	PCBA	7.2	2.3	360	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
<b>3</b> 776	09-06-2022	RIVER DIKHOW AT NAGINI MORA (INTER-STATE BOUNDARIES, ASSAM- NAGALAND)	PCBA	7.3	2.4	1500	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3777	07-06-2022	RIVER DORIKA NEAR MSW DUMPING SITE, SIVASAGAR	PCBA	4.5	2.4	1500	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
<b>3</b> 778	07-06-2022	RIVER DIKHOW AT DIKHOMUKH CONFLUENCE WITH BRAHAMPUTRA	PCBA	6.4	2.6	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
<b>3</b> 780	08-06-2022	RIVER SESSA NEAR SESSA TINIALI, NH BRIDGE, DIBRUGARH	PCBA	5.1	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3781	27-06-2022	RIVER BRAHMAPUTRA AT BOGIBEEL BRIDGE, BOGIBEEL, DIBRUGARH	PCBA	8.4	2.5	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3784	08-06-2022	RIVER TINGRAI NEAR TINSUKIA MSW DUMPING SITE, ITAKHOLA	PCBA	5.4	2.7	940	1600	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3786	27-06-2022	RIVER GAI NADI AT SOMARAJAN, DHEMAJI	PCBA	9	2.5	300	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

	~
	1
-	1
	\/

OTN 0 1' B-4-	01' D-4	Station Name	Mon	DO	BOD	Fecal Coliform	Total Coliform		
STN Code	Sampling Date	Water Quality Criteria	Agency	> 4.0 mg/l	< 3.0 mg/l	< 2500 MPN/100ml	< 5000 MPN/100ml	Remarks	Final Remarks
3788	27-06-2022	RIVER JIADHAL KUMOTIYA RIVER NEAR JIADHAL BRIDGE, DHEMAJI	PCBA	8.2	2.4	360	910	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3791	15-06-2022	RIVER KALIANI NEAR KANAIGHAT BRIDGE, KANAIGHAT	PCBA	6.4	2.7	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3792	12-06-2022	RIVER DHANSIRI AT JAHAIGHAT	PCBA	7	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3796	08-06-2022	RIVER KUJIA (NEAR NEW BOGAGIGAON) NEAR WATER INTAKE POINT FOR NF RAILWAY	PCBA	5.5	2.8	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3797	28-06-2022	RIVER MANAS (SANTOSHPUR) NEAR LENGTISINGA	PCBA	5.5	2.7	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3799	07-06-2022	RIVER KILLING IN MORIGAON DISTRICT	PCBA	6	2.3	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3803	13-06-2022	RIVER MADHURA AT MADHURAGHAT, CACHAR	PCBA	5.5	2.2	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3807	28-06-2022	RIVER DIGARU AT NH CROSSING	PCBA	9.4	2.3	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3810	21-06-2022	RIVER KULSI AT CHAYGAON NEAR NH37 CROSSING	PCBA	4.5	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
3811	09-06-2022	RIVER PUTHIMARI NEAR PUTHIMARI CHOWK AT NH CROSSING	PCBA	9	2.4	620	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4004	14-06-2022	RIVER BRAHMAPUTRA AT BISWANATH GHAT	PCBA	7.3	2.6	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4005	07-06-2022	RIVER DISANG AT NH CROSSING	PCBA	4.5	2.3	910	2300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory

	1 - 1
-	101
	M

STN	Sampling Date	Station Name Water Quality Criteria	Mon Agency	DO	80D < 3.0 mg/l	Fecal Coliform < 2500 MPN/100ml	Total Coliform < 5000 MPN/100ml	Remarks	Final Remarks
Code				> 4.0 mg/l					
4011	01-06-2022	RIVER TOCKLAI NEAR BRIDGE AT JORHAT	PCBA	4.4	2.5	1500	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4012	08-06-2022	RIVER TUNIA AT D/S BRPL	PCBA	5.2	2.6	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4329	13-06-2022	RIVER LARSING NEAR LOCL DEPO AT MOINARBOND	PCBA	5.3	2	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4331		RIVER DHATESHWARI D/S OF HAILAKANDI	PCBA					DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4332	07-06-2022	RIVER DEMOW AT DEMOW TOWN	PCBA	6.1	2.8	1500	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4336	21-06-2022	RIVER BORSILA AT BORSILA, DEOPANI, NAMTI	PCBA	5.6	2.5	360	720	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4341	09-06-2022	RIVER BARNADI NEAR BRIDGE, NH-52, DUMUNICHOWKI KAMRUP (R )	PCBA	5	2.4	730	1500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4342	09-06-2022	RIVER BARALIA (NEAR CHATPUJA GHAT) RANGIA, KAMRUP (R )	PCBA	6.2	2.6	730	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4343	07-06-2022	RIVER BURADIA (NEAR BRIDGE ALONG NH-31) NALBARI	PCBA	7.2	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4344	07-06-2022	RIVER TIHU (NEAR BRIDGE ALONG NH- 31) TIHU, NALBARI	PCBA	8.1	2.6	940	1300	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
4345	21-06-2022	RIVER SINGRA (NEAR BRIDGE ALONG NH-37) BOKO, KAMRUP (R )	PCBA	8.2	2.6	610	1200	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5135	29-06-2022	AIE RIVER NEAR RAKHALDUBI DIST., BONGAIGAON, ASSAM	PCBA	5.3	2.3	720	1400	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5138	08-06-2022	TUNIA RIVER, U/S BRPL, DHALIGAON, DIST. CHIRANG, ASSAM	PCBA	5.4	2.5	360	1100	DO (Satisfied) BOD (Satisfied) FC (Satisfied)	Satisfactory

-	T								
,								TC (Satisfied)	
5139		JAMUNA RIVER AT DOBOKA NEAR BRIDGE, DIST. HOJAI	PCBA			,		DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5140	21-06-2022	BONDANJAN RIVER, SLUICE GATE, BIRKUCHI NARENGI TINIALI, KHARGHULI, NO. 2	PCBA	4.2	2.4	1400	3500	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5141	07-06-2022	BASISTHA RIVER, BASISTHA CHARIALI, NUTAN BAZAAR, GUWAHATI	PCBA	6.1	2.3	910	2000	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory
5142	07-06-2022	PAMOHI RIVER, GACHUK, PAMOHI ROAD, GUWAHATI	PCBA	1.2	2.6	1100	2100	DO (Satisfied) BOD (Satisfied) FC (Satisfied) TC (Satisfied)	Satisfactory