

POLLUTION CONTROL BOARD: ASSAM BAMUNIMAIDAM, GUWAHATI-781 021

Website: www.pcbassam.org

No. WB/LB-251/14-15/8

Dated Guwahati, the 16th Mar, 2015

SHORT QUOTATION NOTICE

Sealed quotations are invited for repairing of Board's Flue Gas Analyser, KM9106, Make Kane, U.K. from the Company's own Service Centre or Authorized Service Provider. Detail work schedule shall be available in the Board's website www.pcbassam.org.

The quotation will be received upto 14:00 hours of 03rd of April, 2015 and will be opened on the next date on 04th April, 2015 at 11:00 AM in presence of the quotationers or their representative who would like to be present.

Member-Secretary, i/c

- Memo No. WB/LB-251/14-15/8-A

 Copy to:

 Dated Guwahati, the 16th Mar, 2015

 M/s. APS Advertising Pvt. Ltd. for information & necessary action. They are requested to publish the quotation notice immediately in one issue of the "The Assam Tribune" and submit the bill in duplicate to the undersigned for payment.
 - 2) Notice Board/Website of Pollution Control Board, Assam.
 - 3) Asstt. Manager (F&A) of the Board for information & necessary action.

4) Concerned file.

Member-Secretary, i/c



POLLUTION CONTROL BOARD: ASSAM BAMUNIMAIDAM, GUWAHATI - 781 021

Specifications

SI. No. Item name

Repairing of Portable Emission Flue
Gas Analyser, Model: KM 9106

QUINTOX,

Make: Kane International Ltd., U.K.

I) Replacement of
i) CO, SO₂, NO & NO₂ sensors.
ii) Moisture Filter.
iii) Battery Pack
iv) Printer cartridge& paper roll.

Terms & Conditions

- a) Quotations should contain the complete specifications and brand names.
- b) All taxes, packing and forwarding charges (if any) and any other charges should be clearly shown.
- c) Price quoted should be FOR Board's Head office at Bamunimaidam.
- d) Quotations received after the due dates are liable to be rejected.

Member-Secretary, i/c